



SEPARATORE A3500



A3500



AMENDUNI
NICOLA SPA

SEPARATORE

separator



- Massima silenziosità durante la lavorazione.
- Semplici operazioni di manutenzione e pulizia.
- Avviamento e controllo elettronico della velocità tramite Inverter.




- Extremely quiet during processing.
- Very simple to operate, clean and maintain.
- Startup and running speed controlled by Variable Frequency Drive (Inverter).



- آلة تتميز بهدوء صوتها حتى بأعلى سرعة
- سهولة تفريغها وتنظيفها
- مراقبة السرعة والأستهلاك بواسطة INVERTER

SEPARATORE

self cleaning



- Dispositivo di comando e regolazione alimentazione olio e acqua.
- Sistema automatico di scarico fanghi; lavaggio con opzione manuale/automatico.
- Facilmente integrabile con sistema di misurazione elettronica produzione olio.




- Device for the adjustment of oil and water feed.
- Automatic sludge discharge system; washing system with manual or automatic option.
- Easily integrates with an oil quantity measuring device.



- مجهز بعيار تحكم ومراقبة للمياه والزيت
- التفريغ والتنظيف يتم بطريقة أوتوماتيكية وأختياراً يدوياً
- إمكانية تنظيم قياس إنتاج الزيت الخارج من الآلة

SEPARATORE

separator



- Tamburo ad alto numero di giri in acciaio inossidabile.
- Dischi inox di spessore variabile con lucidatura a specchio.
- Supporti assi rotanti ad alta resistenza.
- Scarico completo dei sedimenti solidi.



- High speed bowl made of stainless steel.
- Variable thickness polished stainless steel disk stack.
- Rotating vertical axis mounted on a toughened high speed bearing.
- Complete discharge of bowl solids.



- الطنجرة مصنوعة من المعادن الصلبة المتميزة بمقاومة التآكل
- الصحن الداخلية من الستانلس ستيل اللامع
- العמוד الحامل للطنجرة ذات ميزات ميكانيكية خاصة
- تنظيف كامل من الوحل خلال عكسية التفريغ



Peso tamburo / Drum weight	Kg	140
Peso separatore / Separator weight	Kg	1050
Peso pedana / Base weight	Kg	300
Velocità /Speed	RPM/min.	6800
Potenza Elettrica / Power	Kw	7,5
Capacità idraulica / Hydraulic capacity	Lt/h	3500

AMENDUNI
NICOLA SPA

Via delle Mimose, 3 z.i. • 70026 Modugno (Ba) • Italia • Tel. +39 080.5314910
Fax +39 080.5314920 • info@amenduni.it • export@amenduni.it • www.amenduni.it